


HMMM 65

DESCRIPTION	Items	Specification
	Appearance	White Powder
	Ash,% (850°C 2hr) max.	35
	Moisture(azeotropic distillation method)% max.	4.50
	Sieve residue(325mesh) max.	0.30
	Free formaldehyde % max.	0.10



Hexamethoxy methyl melamine
 C₁₅H₃₀N₆O₆
 M.W.: 390.51
 CAS: 3089-11-0
 EINECS: 221-422-3

Characteristics: Curekind®HMMM 65 is rubber adhesive agent, can produce adhesive force through the reaction with methylene acceptor.

Application: Curekind®HMMM 65 is regulated for use in articles in contact with food as specified under BgVV.XXI, category4, and is not regulated for use in FDA food contact applicants.

Safety and Toxic Refer to the MSDS

Storage: Store in closed containers in a cool, dry, well-ventilated place. Avoid exposure under direct sunlight.

Package: Co-extruded paper bag lined with PE plastics film bag. N.W.25kg/bag; N.W.500kg/pallet.

The information contained in this leaflet is based on tests carried out by our laboratories and data selected from references. Therefore it is not valid legally and does not signify any guarantee to customers of successful applications of the product according to their own formulas. However, our company will offer professional services in technology at utmost to facilitate customers to achieve expected purpose of product applications.